

# **BV850ACP**USER'S MANUAL

BLUETOOTH® | IN-DASH DOUBLE-DIN
MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER
FEATURING 6.75" (171 mm) CAPACITIVE TOUCHSCREEN











# Thank you for Choosing Boss Audio Systems!

IMPORTANT! Fill Out And Keep For Your Records.



#### **IMPORTANT**

Record the serial number of the product:

Model:

**Serial Number:** 

Date of Purchase:

The serial number is located on the top part of the chassis.

# Contents

Contents	2
Notes	4
Cautions	5-7
About this Manual	7
California Prop. 65	7
Basic Product Operation	8
What comes in the box	8
Product Basics	9-14
Using/Caring for the Touchscreen	12
Product Setup	13
Navigating the Menus	14
Apple CarPlay	15
Warnings	15
Using CarPlay	15
Gestures & Control	15

CarPlay Display	16
Disable Apps	16
Android Auto	17
Warnings	17
Using Android Auto	17
Bluetooth®	18
Cautions	18
Setup & Connections	18
Phonebook	18
Device Status	18
Calling	19
History	19
Private Mode	19
Audio	20
Track Control	20

Media Player Source Switching	20
Media	21
Warnings	21
USB Playback	21
Navigating Menu	21
Photos	21
Radio	2
Display Overview	2
Controls	22
Tuning	2
Bands	22
Presets	22
Favorites	22

# Contents

23
23
23
23
23
24
24
24
24
24
24
24
24
24
25
25
25
25
25
25
25
25

Display Settings	26
Illumination Control	26
Gamma	26
LED Touch Buttons	26
LED Brightness	26
LED Animation	26
User Interface	26
Bluetooth® Settings	27
Device Name	27
Camera	27
Camera	
Rear Camera input	27
Rear Camera input	27
	27 27
Rear Camera input  Rear View pelay  Radio Settings  Region	27 27 27
Rear Camera input Rear View pelay Radio Settings	2727272727

Connections	28
Cautions & Warnings	28-33
Power/SWC/MIC	28
Speaker	29
Audio Pre-amp/AV IN/ Radio	30
Camera/USB	31
Parking Brake	32
Hands-free Mic	33
Troubleshooting	34
Specifications	36

# **Important**

This symbol with "WARNING" is intended to alert the user to the presence of critical instructions/procedures. Failure to observe the instructions/procedures can result in injury, death, damage to the product and/or property.



This symbol with "CAUTION" is intended to alert the user to the presence of important instructions/procedures. Failure to observe the instructions/procedures can result in injury or damage to the product and/or property.







Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards.

Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone or iPod may affect wireless performance.

ipone is trademark of Apple Inc.,registered in the U.S.and other countries.

Apple CarPlay is a trademark of Apple Inc.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Boss Audio Systems is under license.

Other trademarks and trade names are those of their respective owners

#### **Caution**

#### **Precautions**

BE SURE TO OBSERVE THE FOLLOWING GUIDELINES: Do not turn up the volume so high that you can't hear what's around you.

Use caution or temporarily discontinue use in potentially hazardous situations.

Do not operate mobile video equipment while driving a motorized vehicle – safe driving and safety consideration of others should always be your highest priority.

Set your volume control at a low setting, then slowly increase the sound until you can hear it comfortably without distortion, or ear discomfort.

In the event you should notice smoke, strange noises or odor from this product, or any other abnormal signs, immediately turn off the power and consult your dealer or the nearest authorized *BOSS AUDIO SYSTEMS* Service Center.

Using this product in this condition may result in permanent damage to the system.

#### **Installation Precautions**

Boss Audio Systems does not recommend to install the product yourself.

We recommend to have it professionally installed by a certified professional.

Always consult with a professional installer.

Do not attempt to install or service this product by yourself. Installation or servicing of this product by persons without professional training and experience in electronic equipment and motorized vehicle accessories may be dangerous and could expose you to the risk of electric shock, injury or other hazards

Refer any repairs to a qualified BOSS AUDIO SYSTEMS Service Center


# Caution

#### **Before Installing**

To avoid potential shorts in the electrical system, be sure to disconnect the (–) battery cable before installation.

Use this unit with a 12-volt battery and negative grounding only. Failure to do so may result in a fire or malfunction.





#### **Product Safety**

It is against Federal and Local laws for video to be viewed by the driver while the vehicle is in motion. This video product was intended to be used with the parking brake safety feature. Video cannot be seen without the proper parking brake powered connection. Tampering or disabling this feature will void any and all warranty. Please check with a professional installer to have your product installed properly.



#### **Important Note**

Due to ongoing enhancements, example images on screens may slightly differ from actual product.

# Caution

#### **Images and Video**

Watching video while driving is against Federal, State, and Local laws.

Drive safely, know and obey traffic rules. Watching this screen and making selections while driving can lead to a serious accident.

Check surroundings for safety while camera images are displayed.

Do not use features of this product while driving if it cannot be operated safely and legally in your location. Before operation of smartphone Apps accessible from this device, read safety instructions in your Owner's Manual. When using navigation Apps stay alert to observe real world conditions.

#### About this manual

To entirely understand how to properly use your new Boss product, it is recommended to read this entire user's manual, and keep it in a safe place for future reference.

- -Read the entire manual
- -Keep the manual
- -Follow all instructions
- -Clean with a dry cloth only
- -Do not use or operate near water
- -Do not defeat any safety features

#### **California Residents (Proposition 65)**

This product may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### What comes in the box

#### Hardware

Qty 1 BV850ACP

Qty 1 Trim Ring

Qty 1 Mounting Hardware Set


-M5 x 6mm Bolts (8)

-Brackets (2)

#### Connections

Qty 1 Power/Harness


Qty 1 Hands-free Microphone












#### Front Detail



1 Mute/Screen Off


2 Volume Control

3 Siri Button

4 Power/Home

5 System Reset

#### Rear Detail



#### **Product Basics**

#### Mute

1. Touch to Mute

#### Volume

- 1. Touch once on either "+" / "
- 2. Touch and Hold for quicker operation





#### **Display Off**

-Touch and Hold Mute

#### **Display On**

-Touch the display to reactivate





#### Siri

-Touch to command



CarPlay must be active



#### Power On /Standby

- 1. Touch once to Power ON
- 2. Touch and Hold for Standby



In Standby Mode, the LED will slowly pulse on and off.



#### Using and Caring for the Touchscreen



#### Use:

This head unit utilizes a Capacitive Touchscreen, the same type that is used on high-end mobile devices. It should be used for and cared for like that type of device. As with all capacitive type technology, if your fingers are wet or sweaty, it will not function properly.

Do not allow any sharp objects to come in contact with the screen glass.

#### **Care and Cleaning:**

To clean the screen, use a dry microfiber type cloth to clean. Do not use ammonia, window cleaner, or any other type of household chemicals to clean the screen. Abrasives should not be used at all.

#### Product Setup (Date & Time)

#### **Setup Option A: CarPlay Method**

Connect your Apple ® device using a Lightning® cable\*. The CarPlay USB port must be used.


This will automatically setup the time and date

User must set Time Zone manually.

Default is Pacific Time Zone



#### **Setup Option B: Date and Time**




#### **Additional Setup**

General > Language

Audio > EQ, Other Audio Settings

Display > Illumination, Brightness, LED

#### **Navigating the Menus**



# **Apple CarPlay**

#### **Using CarPlay**



Apple CarPlay usage is limited while driving.

Functions, contents, and usability is determined by the App provider(s).

Controls will vary with each App that is available for CarPlay.

For more details visit:

http://www.apple.com/ios/carplay



Familiarize yourself with your Local and State laws regarding mobile devices.

Certain functions of an iPhone might be prohibited and or illegal while driving in your location.

When in doubt, park the vehicle and engage the parking brake first before performing the function(s).

#### **Connecting to CarPlay USB Port**

- 1. Connect the CarPlay compatible device via LIGHTING ® cable (not included).
- The iPhone will load the CarPlay function.
- On the display, the CarPlay will illuminate green, touch it to enter the CarPlay menu.
- 4. To return to the product Home menu,

Touch





#### NOTE


The product's Bluetooth will turn **OFF** automatically when CarPlay is in use. Hands-free phoning will function through the CarPlay feature.

When using CarPlay, there is no need to pair your iPhone, the USB cable connected through the USB Port (1) will enable this feature.

If other devices are connected via Bluetooth, they will be disconnected for the duration of CarPlay use.

#### **Gestures & Control**

Basic controls, but not limited to:



Other gestures and controls might differ on each App.



#### NOTE

Volume control is handled exclusively by the product.

# **Apple CarPlay**

#### **Using CarPlay**


#### **CarPlay Display Setup**

1. Using your iPhone:

Settings > General > CarPlay


2. Touch and Hold each App icon to move.

To remove an App, Touch



# Only Apps with the icon can be removed from CarPlay.

removed from CarPlay.
Only Apps with the + icon can be added in carplay.



#### **How to Disable Apps**

1. Using your iPhone:

Settings > Notifications > App to Disable



#### **Android Auto**

#### **Using Android Auto**



#### Note

Android Auto usage is limited while driving.

Functions, contents, and usability is determined by the App provider(s).

Controls will vary with each App that is available for Android Auto.

For more details visit:

https://www.android.com/auto/



#### **WARNING**

Familiarize yourself with your Local and State laws regarding mobile devices.

Certain functions of the mobile device might be prohibited and or illegal while driving in your location.

When in doubt, park the vehicle and engage the parking brake first before performing the function(s).



#### NOTE

To complete the setup properly, the Parking Brake status wire must be connected.



#### WARNING

For your safety, the setup process **MUST** be accomplished while the vehicle is Parked and Parking Brake Engaged.

#### **Android Auto App**

1. Using your Android device, download the Android Auto app on Google Play.





Minimum Requirements:

#### Android 5.0 Lollipop

For a list of compatible devices:

https://www.android.com/auto/

#### **Updating Related Apps**

1. During the first start up and setup of the Android Auto app, the Maps, Music, Google apps will install/update automatically.

#### **Connecting to Android Auto USB Port**

- 1. Connect the Android compatible device via the appropriate USB cable (not included).
- 2. The Android device will load the Android Auto function.
- Bluetooth will connect automatically when the setup is completed.
- To return to the product Home menu,

#### Touch



#### **Android Auto Permissions Permissions**

Several features can be allowed or denied access to customize your usability of the product.

The access can always be modified in Settings on the Android device.

#### **Bluetooth®**

#### **Setup & Connection**

#### Hands-Free Menu

Touch





#### NOTE

CarPlay must not be active. If being used, disconnect the iPhone to start Bluetooth.

Compatibility with all mobile devices is not guaranteed. Please read through the user's guide of the mobile device.



For your safety, the setup process should be accomplished while the vehicle is parked and parking brake engaged.

#### First time Pairing

Using your phone, media or other Bluetooth device, try to connect to this headunit.

Mobile Device:

Search for BOSS AUDIO BV850ACP

iOS Devices: Settings > Bluetooth

Android Devices: Settings > Connections >

Bluetooth

A passcode is generated and will display on both the head unit and mobile device for secure pairing.

Touch



to confirm

Every time the product is powered ON, the mobile device will automatically connect if within range.



#### NOTE

Once paired and connected, the device list will display the available Bluetooth profiles.



#### **Phonebook and History**

To Download Phonebook:

1. Touch Contact > Download

To Download History

1. Touch **History > Download** 

#### **Device Status**

Battery and Cellular Strength is displayed on the top right of the Home menu.

GATT Profile support is required on the mobile device.



# **Bluetooth®**

#### Hands-Free

#### Calling

#### **Making & Receiving Calls**

1. Dialing from the dial pad

Touch to make call

2. Contacts

Touch the contact name

3. History

Choose the name, then

To **End** a call **Touch** 



To Mute a call Touch



#### Dial pad

To use the dial pad while on a call

Touch

#### **Searching History**

Swipe Up or Down to search



#### History

Outgoing Call



3. Missed Call



#### **Private Mode**

When a call needs to be transferred to the mobile device:

Touch (



to switch the mobile device

**Fouch** to return to hands-free mode

#### **Searching Contacts**

Contacts must be downloaded to search.

1. Touch

2. Enter the Contact Name, then



Connection: **ON**Auto Connect: **ON**Auto Answer: **OFF** 

Device Name: BOSS AUDIO BV850ACP

Clear Records

# Bluetooth®

#### Audio

#### **Audio Streaming**

To play media through Bluetooth, the mobile device must be Paired and Connected to the BV850ACP

1. Touch



The music will play automatically.

#### **Track Control**

1. Play/Pause



2. Track Fwd / Rev



3. **Swipe** to Fwd/Rev



#### Media Player (Bluetooth)

Playback access is also available through the Media Player

1. Touch





For best performance, your mobile device volume setting should be set to maximum.

All volume adjustments for the system should be controlled from the product.

The unit will recall the last volume setting on your mobile device every time is connects.

#### **Formats**

Playback is supported from the mobile device with any format it can play.

Audio will only be played by the product.

Video cannot be viewed on the unit.

#### **Switching Media**

Touch



Available sources will display (Bluetooth and USB)



USB source will only be displayed if a USB drive is inserted and has playable media.

#### Display

Track info will be displayed when available.

Track, Album and Artist.

Album art is not supported via Bluetooth playback.

#### Media

#### USB

#### **USB Playback**

Touch



The music will play automatically.

#### **Audio Control**

- 1. Play/Pause >
- 2. Track Fwd / Rev
- 3. Repeat List
- 4. Repeat File
- 5. Random 💢



If there are other files in the USB, music files will play first.

#### Video Control

- 1. Play/Pause >
- 2. Track Forward/Backward
- 3. Repeat All
- 4. Repeat one
- 5. SETUP

#### **Photo Control**

- 1. Play/Pause D
- Track Forward/Backward
- 3. Repeat All
- 4. Repeat One
- 5. Rotate 3

#### **Navigating Menu**

Touch





To browse contents Swipe



To return to the current file playing,

Touch





Watching videos or photos while driving is against Federal ,State, and Local laws.

Do not use features of this product if it cannot be operated safely and legally in your location.



Review the connections of this product, to properly integrate the parking brake wire to the vehicle.

Video and or photos cannot be viewed while driving. The vehicle must be stationary and the parking brake applied to enable viewing.

### Radio

#### AM/FM

#### **Controls**



#### Tuning

To search for stations:

Search

Touch and Hold

**Manual Seek** 



Auto Search & Store: Touch 🕢



RBDS info (if available) and currently tuned station will display on the radio icon in the home screen

Not all stations will have or display RBDS info.



#### **Band & Settings**

**Touch** FM to switch bands

To change radio settings

Touch [[]]

#### **Favorites and Presets**

**Settings Favorites** Touch 📉

Favorite Set



To remove a favorite, **Touch** 



#### **Browsing Favorites**

Touch

To return the Tuner screen **Touch** 



#### **Changing Presets**

Touch 🔀 🔀

To list all Stored Stations

Touch =

#### Stereo/Mono

To turn on/off stereo when receiving a stereo signal,

Touch OO

#### LOC/DX

To select Local or Distant broadcasting stations,

Touch ((†))

# AV In/Camera

#### **External Source**

#### Playback

Touch



Media must be controlled from the external device.

Track functions are not controlled from the product.



#### Note

To adjust the volume level properly, the carry-in device volume should be set between 50 % - 75%. The volume level should remain at that level for the remainder of the time it is connected to the product.



#### WARNING

Never rely solely on the rear view camera; always check your surroundings before proceeding.

#### Images may appear reversed

Do not use features of this product if it cannot be operated safely and legally in your location.

#### **Rear View**

The rear view camera can by displayed on demand.

#### Touch



To return to the Home screen

#### Touch



#### **Reverse View**

When the vehicle is put into reverse gear, the camera will display the image on the screen.



#### **Rear View Delay**

Due to varying vehicle configurations, the rear view trigger can be delayed to best suit the vehicle.

Default setting: **0 Sec** Delay



#### Note

The rear view camera will still function normally, if the product is in standby mode

# Settings

#### General

#### **System Language**

Touch to change

English (Default), Spanish



#### (i) Note

CarPlay is independent of the system language setting.

#### **Time Zone**

Adjust to correctly display time

Default Setting: (GMT-08:00) Pacific Time (US&Canada)

#### Date & Time

#### 24H Mode



#### **Auto Adjust Daylight Saving**







If using an CarPlay, the iPhone will automatically set date & time. Time Zone needs to be adjusted manually.

#### **System Tone**



#### **Power Off Delay**

Some vehicles during crank to start will interrupt the accessory power.

If the product re-boots during crank to start, Turn **ON** delay

The delay can select 1, 2 or 3 sec.

Default Setting: OFF



#### i Note

Power Off Delay ON will also delay when the vehicle is turned OFF.

This might affect hands-free functionality during a call.

#### **Parental Disc Lock**

Touch to select parent control level.

#### **Factory Settings**

To restore settings to default:





Will restore all settings to factory defaults.

All settings and presets will be lost.

# Setting


#### Audio

#### EQ

To access the EQ menu

Touch







The EQ can also be directly accessed while changing the volume. The volume display will show the EQ icon, you can touch to access the Audio Settings.



#### **Preset EQ**

Jazz, HipHop, Pop,Rock, R&B

#### Balance/Fader


Left/Right Balance, Touch



Swipe for quick adjustment



Front/Rear Fader, **Touch** 



#### Subwoofer

The level and filter can be adjusted for the Sub pre-amp output.

Level. 1-14 dB



Filter: 50Hz, 80 Hz, 120 Hz, 160 Hz

**Touch +/−** Subwoofer Frequency

#### Loudness

Enhances and gently boosts low and high freq.

Touch





#### **Internal Amp**

OFF

To reduce the possibility of noise entering the signal chain when utilizing the audio pre-amp outputs, the internal amp can be turned OFF

Touch



#### Volume

Settings are for default volumes for Main(Radio, Media), Hands-free(BT Ring, BT Talking), Apple CarPlay/Android Auto (Navi, Voice).

#### Source Level

The source mode(Radio, USB, BT Audio, AV Input, Apple carplay, Andriod Auto) gain control.

### Settings

#### **Display** Bluetooth

#### **Illumination Control**

Touch





When the vehicle lights are on, the products illumination can be customized for night use.

#### Gamma

Swipe

Gamma can be adjusted for both day and night settings.

#### **Screen Brightness**

Swipe

#### **LED Touch Buttons**

Panel Light Touch

Six preset colors can be chosen for Touch buttons, or chose below...



#### **LED Brightness**



Brightness can be adjusted for both day and night settings.

#### **LED Animation**

Touch →

Will cycle through all colors on LED touch buttons.

OFF

Default Setting: ON

#### **UI** settings

#### Wall paper

Touch to change

User can change the background picture by inserting a USB with photos.

#### **Background Brightness**



#### Connection



Power On/Off Bluetooth

Default Setting: ON



Bluetooth will turn **OFF** automatically when CarPlay is in use. If other devices are connected via Bluetooth, they will be disconnected for the duration of CarPlay use.

#### **Auto Connect**

Touch



Auto connects to the device when the product is powered ON

Default Setting: ON

#### **Auto Answer**

Touch → OFF ON

Auto answers when there is an incoming call.

Default Setting: OFF

#### Settings

Bluetooth Camera Radio

#### Device Name BOSS AUDIO BV850ACP

#### **Rear Camera input**


Turn on if you have a rear view camera, turn off if you have not.

#### Parking Assist guide

Turn off if your rear view camera have parking assist guide, turn on if you have not.

#### **Parking Assist guide Adjust**

You can adjust parking assist guide



#### **Rear View Delay**

0 Sec (Default), 0.1 Sec, 0.5 Sec, 1 Sec, 2 Sec When switching from Park to Drive, or vice versa, the camera should not trigger on the display.

Sensitivity should be adjusted to trigger only on reverse gear selector.

#### Region Touch

Default Setting: USA 2

US Tuner Spacing: FM (200 KHz), AM (10 KHz) European Spacing: FM (50 KHz), AM (9 KHz)

# RBDS, Radio Broadcast Data System Touch

Default Setting: ON

Allows data from the radio station to be displayed on the product.

#### RBDS, Cont'd

Not all stations will broadcast information to display.

#### AF (Alternative Frequency)



When **On**, the tuner will automatically locate the same tuning program on other stations and select the strongest signal of those being broadcast.

Default Setting: OFF

#### TA (Traffic Announcement)



The radio will automatically tune in to traffic information broadcasts while receiving FM broadcasts playing media.

Default Setting: OFF

#### Power/SWC/MIC




#### **CAUTION**

It is recommended to have the product installed by a certified installation professional.




#### **CAUTION**

Before installation, or wiring connections, disconnect the negative (-) battery terminal to prevent damage to the product, and/or possible injury.






Remote Out is 500 mA max output rating. If several amplifiers are to be used, it is recommended to use a relay for the Remote Out trigger.



#### (i) Note

Unused input/output wires need be insulated with tape, heat shrink, or crimp connectors. **Never use wire nuts.** 



#### (i) Note

A separate interface might be needed for your vehicle application. It is recommend that you consult with a professional installer.



When replacing the fuse, always do so with the same type and value (15 A).

#### **Speakers**



#### CAUTION

Do not chassis ground any speaker wire leads.



#### CAUTION

Only use 4-8  $\Omega$  Speakers Do not use 1-3  $\Omega$  Speakers



#### **CAUTION**

Do not bridge any of the channels, they are only to be wired in stereo mode.




Unused speaker wires need be insulated with tape, heat shrink, or crimp connectors.

#### Never use wire nuts.

If the speaker outputs are not used, turn Off the internal amp to reduce the possibility of noise entering the signal chain.



Observe speaker polarity when making connections.




#### Audio Pre-amp/AV IN/ Radio



Subwoofer Pre-amp is a non-fading mono output.




Always run signal wires away from power cables to reduce the possibility of noise.



### (i) Note

If pre-amp outputs are being used exclusively, turn **Off** the internal amp of the product, to reduce the possibility of noise entering the signal chain.




#### Camera / USB



Never rely solely on the rear view camera; always check your surroundings before proceeding.

#### Images may appear reversed

Do not use a feature of this product if it cannot be operated safely and legally in your location.



#### **Parking Brake**



#### WARNING

Improper connection or use of the parking brake status wire, (i.e. defeating the safety feature) violates Federal, State, and Local laws. This may lead to injury, property damage, and/or death.



#### **WARNING**

Watching videos or photos while driving is against Federal, State, and Local laws.



For Andoird Auto setup, the parking brake status wire **MUST** be connected.




#### Note

Review the connections of this product, to properly integrate the parking brake wire to the vehicle.

Video and or photos cannot be viewed while driving. The vehicle must be stationary and the parking brake applied to enable viewing.





#### i Note

The parking brake input needs to be connected to the power side of the parking brake.

### (i) Note

Every vehicle has a different type of parking brake connection; consult a certified professional installer.

#### **Hands-free Mic**

#### **Placement**

Every vehicle will perform differently due to layout, interior materials, etc...

The **Red** shaded areas are the recommended locations for best microphone performance.


Items to look for before placement:

- 1. Do not place in front of air vents.
- If the vehicle has tweeters placed on sail panels, do NOT locate the mic on steering column area.
- 3. Front of mic must not be blocked.
- 4. Mic should be firmly attached to mounting location.
- 5. Do not cover the grille openings surrounding the mic.
- 6. To avoid excessive wind noise, do not place near the sunroof opening



#### WARNING

Run microphone wire where it will **NOT** impede the operation of any safety items, i.e. Airbags, Knee Airbags, etc...



# Troubleshooting

Issues	Cause	Solution
No Sound	Internal amplifier is off	Go to Settings > Audio > Internal Amp <b>ON</b> Touch the volume.
	Product is muted External amplifiers	Check the external amplifiers are on.
	Audio source	Check the remote output wire has voltage Change the audio source
Media Not Supported	Media on USB flash drive	Change the media format on the USB device Change the USB device
Bad Radio Reception	Radio area	Change the station Turn <b>OFF</b> AF and TA Turn <b>OFF</b> RBDS
	Antenna	Antenna output wire isn't connected Connect Antenna to product
Apple CarPlay/Anroid Auto will not start	Bad Lightning®/USB cable	Replace the cable
	Locked device	Device needs to be unlocked
	Not charged	Device needs to be powered <b>ON</b> for CarPlay/ Android Auto to function. Allow it to charge and power on.
	CarPlay/Android Auto frozen	Unplug the device, close all Apps and plug it in again.
Bluetooth	Not connecting to device	Make sure the device is within range.  Devices' Bluetooth connection needs to be turned <b>ON</b>

# **Troubleshooting**

Issues	Cause	Solution
Bluetooth	Not connecting to device	Go to Setting >Connection >Power <b>ON</b> Pair and Connect the device like new.
Hands-free call quality	Mobile device	Check cellular strength on mobile device. End call and redial number.
	Microphone	Microphone placement needs to be relocated Microphone needs to be firmly attached to location it's mounted on.  Check to see if microphone is properly plugged in.
Unit is unresponsive	Processor has frozen	Press the <b>RESET</b> button on the front panel



If you have questions about this product:

**Customer Service** 

805-751-4853

M-F 8:30a-5:00p (PST)

Tech Support: www.bossaudio.com/support/technical-support
© 2019 Boss Audio Systems

# **Specifications**

General	Audio Cont'd
Power Input8.5 V—18 V DC	Pre-amp Output3 Pairs
Nominal14.4 V DC	Front4V, Full-Range
Current Consumption15A	Rear4V, Full-Range
Fuse Type15A	Sub (Mono)4V, LPF
Dimensions (H x W x D)3.9" x 7" x 5"	Sub LPF50 Hz, 80 Hz, 120 Hz, 160 Hz
Unit Weight2.43 lbs.	Sub Level+1-14dB
Operational Temperature4—158°F	Radio Tuner
Display	Freq. Range87.5 MHz-108 MHz (FM)
Screen Size6.75"	Freq. Range522 kHz-1710 kHz (AM)
Aspect Ratio16 x 9	USA 1 Range (FM)100 kHz Spacing
Resolution480 x 800	USA 2 Range (FM)200 kHz Spacing
Screen TypeTFT-LED Active Matrix	Europe Range (FM)50 kHz Spacing
Audio	RBDSAF, TA
Max Power80 W x 4 Ch.	Apple CarPlay
Acceptable Speaker Load4-8 $\Omega$	iPhone SupportiPhone 5 or Newer
Preset EQ5	iOSiOS 7.1 or Newer
EQ Bands, Adjustable10	
JAZZ, HIPHOP, POP, ROCK, R&B	
32, 63, 125, 250Hz, 500Hz	
1KHz, 2KHz, 4KHz, 8KHz, 16KHz	
EQ Boost/Cut± 6 dB	

#### **Android Auto**

Supported(5.0) Lollipop or Newer
USB
USB SpecUSB 2.0 (High-Speed)
USB Current Output1.5 A (Max)
File SystemFAT32
Audio PlaybackWAV, MP3
Video PlaybackAVI, MKV, WMV
Picture PlaybackJPG, PNG, BMP
*Not all listed compressed files guaranteed to play due to different creation methods or file

#### Bluetooth®

contents.

Version	v4.2+E.D.R.
Audio Codec	S.B.C.
Profiles	
HFP v1.6,A2DP v1.2,AVRCP v1.5,P	BAP v1.1

# User's Notes



BOSS Audio Systems
3451 Lunar Court • Oxnard, CA 93030
www.bossaudio.com
805-751-4853 Customer Service
Tech Support: www.bossaudio.com/support





#### 1119

iPhone® is a trademark of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc. BOSS Audio Systems is not affiliated with Apple Inc.

The Bluetooth" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone may affect wireless performance.

# USER'S MANUAL ELPC40B

REAR VIEW LICENSE PLATE MOUNT CAMERA

FEATURING HIDDEN MOUNTING BRACKET




DO NOT FULLY RELY ON REVERSE CAMERA WHEN BACKING UP.

ALWAYS CHECK YOUR SURROUNDINGS
BEFORE BACKING UP.



#### INSTALLATION

#### 1. WIRE CONNECTION




Complete all required connections so that all lines are hidden in vehicle.

#### 2. CAMERA INSTALLATION

Camera should be installed in the following configuration:

License Plate Frame Mount – Align camera frame with top-set of screw holes on license plate or license plate frame. Affix camera using license plate mount screws. See: (diagram 1)

Attention: The camera switch is controlled by reverse gear shift.



#### **OPTIONAL**

To remove the distance guide lines:

- 1. Turn the system OFF before proceeding
- Cut the white loop wire located at the connection points (camera end).
- 3. Insulate the wire, using tape or crimp connectors on both ends.
- 4. Reconnecting the wire will display the guide lines again.

To invert the camera image:

- 1. Turn the system OFF before proceeding
- 2. Cut the blue loop wire located at the connection points (camera end)
- 3. Insulate the wire, using tape or crimp connectors on both ends.
- 4. Reconnecting the wire will orient the image back to its original position.

#### TROUBLESHOOTING GUIDE

The following checklist might help to solve the problems when using this unit. Please double check to ensure connection and procedure of operation is done properly before using checklist.

PROBLEM	CAUSE/SOLUTION
NO IMAGE	Check that power cable is securely connected. Check to ensure there is a good connection between video-in and monitor. Check that REVERSE GEAR is engaged. Check to ensure correct monitor setup.
IMAGE BLURRING	Check for water/water stain or dust on camera lens. Clean camera lens
IMAGE SHAKING	Check to insure camera is mounted and secured tightly
IMAGE SLANTED	Adjust camera mounting bracket

#### NOTE:

If problems persist - consult nearest service dealer. DO NOT attempt to disassemble or modify unit.

#### **SPECIFICATIONS**

Power Supply	DC 12v
Lens Angle (Deg.)	170°
TV System	NTSC
Video Output	1.0vp-p, 75Ω
S/N Ratio	< 48 dB
IP Rating	IP68
Operating Temp. (Deg. C)	-30°C ~ +70°C (RH 95% Max.)
White Balance	Auto
Minimum Illumination	0.5 LUX
AGC	Auto
Resolution (TV Lines)	480
Electronic Shutter	1/60 (NTSC)
Effective Pixels	628 x 586

Above parameters can be modified without notification.

BOSS Audio Systems 3451 Lunar Court • Oxnard, CA 93030

www.bossaudio.com 800-999-1236 US Toll-free 805-751-4853 Customer Service

Tech Support: www.bossaudio.com/support/technical-support





# **GET INVOLVED**



# HAPPY?

1. Leave a lovely review! We read our reviews and appreciate you taking the time.



# **NOT SO MUCH?**

Please contact us and let us help to make it right.

CUSTOMER CARE: (805) 751-4853 & Live Chat ONLINE SUPPORT: www.bossaudio.com/support

# **WANT MORE?**

Join our #BOSSInsiders Program and have an impact on product updates & releases. Apply at **www.bossinsiders.com** to test products and receive FREE or DISCOUNTED products.











Stay connected with the BOSS Audio Systems community plus get tips & tricks on products and installs.

@B0SSAudioSystems





# Keep in Touch! Register Your Product Online



To register your product, scan this QR code with your smart device and fill in the online form. You can also find the online registration form at: www.bossaudio.com/support

Your product may qualify for a FREE EXTENDED WARRANTY.

Please see www.bossaudio.com/policies

for the qualifications and details of this program.

# **THANK YOU**

Welcome to the BOSS AUDIO SYSTEMS family. Proud audiophiles since 1987.