



Toyota/Lexus/Scion ASWC-1/AXSWC Harness

Visit MetraOnline.com for more detailed information about the product and up-to-date vehicle specific applications

APPLICATIONS

| LEXUS | TOYOTA | TOYOTA (cont.) | TOYOTA (cont.) |
|-------------------------|---------------------------|--------------------------|----------------------|
| ES-Series.....2002-2011 | 4-Runner*.....2012-2013 | Highlander.....2004-2012 | Tacoma*.....2012 |
| GX-Series.....2003-2009 | 4-Runner.....2003-2011 | Matrix*.....2013 | Tacoma.....2005-2011 |
| RX-Series.....2004-2009 | Avalon.....2005-2012 | Matrix.....2009-2012 | Tundra.....2003-2013 |
| | Camry.....2005-2011 | Prius.....2004-2011 | Venza.....2009-2012 |
| SCION | Corolla*.....2011-2013 | Rav-4.....2005-2011 | |
| iQ.....2012-2015 | Corolla.....2009-2010 | Sequoia*.....2013 | |
| tC.....2005-2013 | FJ Cruiser*.....2013-2014 | Sequoia.....2003-2012 | |
| xA.....2004-2006 | FJ Cruiser.....2007-2012 | Sienna.....2003-2014 | |
| xB.....2004-2015 | Highlander*.....2013 | Solara.....2004-2008 | |
| xD.....2008-2014 | | | |

* These vehicles use either a 20-Pin or 28-pin connector for the steering wheel control harness. If your vehicle uses a 28-pin connector, please use the AX-TOY28SWC instead.

TABLE OF CONTENTS

Connections.....2

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections are secure before cycling the ignition to test this product.
NOTE: Refer also to the instructions included with the aftermarket radio.

CONNECTIONS

When installing an aftermarket radio, the **70-8114** will allow the user to retain their factory installed steering wheel controls without having to splice into the factory wiring (**ASWC-1/AXSWC** required and sold separately). In addition, we include RCA's to allow the user to retain their factory installed 3.5mm AUX IN jack (aftermarket radio must have an audio AUX IN).

Connect as indicated:

- **Red wire** to 12-volt accessory power.
- **Black wire** to chassis ground (by itself).
- **White RCA jack** to the left audio AUX IN of the aftermarket radio (if equipped).
- **Red RCA** to the right audio AUX IN of the aftermarket radio (if equipped).
- **3.5mm jack** to the steering wheel control input in the aftermarket radio.

Note:

- Audio devices connected through the vehicle's **3.5mm AUX jack** will be controlled from the audio device, not the aftermarket radio.
- Please refer to the **ASWC-1/AXSWC** programming instructions for programming of the **ASWC-1/AXSWC**.



70-8114
INSTALLATION INSTRUCTIONS



Having difficulties? We're here to help.



Contact our Tech Support line at:

386-257-1187



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 7:00 PM

Sunday: 10:00 AM - 4:00 PM



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.edu or call 386-672-5771 for more information and take steps toward a better tomorrow.



**Metra recommends MECP
certified technicians**